

# SWING DOOR

Standard Series: SCP-5 / SCP-3

Airtight Series: SCG-1 / SCG-3

Light weight Model: LWP-3

Aluminium Model: AL-3

Smart design Model: SMT

Eco Series : SCPR-3 / SCGR-3

Insulation Model: FCG-3

Wind resistant Series : V-hinge series

Forklift usage: SN-1

Counter door usage: MP-1a / MP-2



---

**MADE IN JAPAN**

**Superior Function  
Smooth traffic  
Exceptional durability**

---

High functional and durable

# SCP Series

Door Thickness **21** mm

V-hinge compatible



Example of use at a supermarket

## Simple and robust, Our reliable standard model

Consists of high strength lumber core that is resistant to warping and distortion. SCP-3 employs stainless steel as a surface material and SCP-5 utilizes a combination of aluminium on its upper body and high strength stainless steel on lower body.



SCP-5

Aluminium alloy and Stainless steel surface



SCP-3

Full Stainless steel surface

## RECOMMEND

Best used in supermarkets, also suitable in convenient stores and restaurants.

## OPTIONS



### Double windows

Indispensable option especially in supermarket, as this allows people to easily detect what's beyond the door, including small children through the lower window.



### Hand Plate

It helps to maintain clean and fine aesthetics by preventing finger prints and marks to be left on the door. (Black, White, Grey)

Highly air-tight

# SCG Series

Door Thickness **21** mm

V-hinge compatible



Example of use at a supermarket

### Sealing gaps to improve air-tightness and resistance to dust.

The gasket seals gaps between the door and the frame preventing leakage of air flow from or into, hence improving the air-conditioning efficiency. Consists of high strength lumber core that is resistant to warping and distortion. SCG-3 employs stainless steel as a surface material and SCG-1 utilizes a combination of aluminium on its upper body and high strength stainless steel on its lower body.



SCG-1

Aluminium alloy and Stainless steel surface



SCG-3

Full Stainless steel surface

### RECOMMEND

Best used in supermarket, also suitable in restaurants and food factories.

### OPTIONS



#### Bumper Strip : D-shape

To protect the door from damages caused by such as trolleys.



#### Colored sheet

To suit the concept of your stores, you can chose from a wide range of colored and/or textured sheet to be applied to the surface of the door.

Plenty more different colors are available.

Light weight

# LWP-3

Door Thickness **1.6** mm

V-hinge compatible



Example of use at a convenience store

### Lightweight operation feeling with single layer aluminium door panel

Special Aluminium Alloy is used for exceptional hardness and its spring-like elasticity. It is light yet extremely strong, and highly corrosion and impact resistant, withstanding impacts from such as trolleys, leaving no concerns for bending or distortion of the material.



LWP-3

Full Aluminium Alloy surface.

### RECOMMEND

Best used in supermarket, also suitable in restaurants and food factories.

### OPTIONS



#### Acrylic window (One-way mirror)

As the store side window consists of a mirror, the backyard is not visible.



#### Stainless steel kick plate

We also provide a protective plate for lower part of the door, reducing impact from such as of trolleys.